



## REMOPLA

---

### Application

**Remopla mats are the optimal solution for fragile surfaces that need to be protected for short periods of time and for surfaces that need to bear heavy loads.**

This material is particularly suited to create parking lots, for laying out access roads on athletic tracks, tennis courts, ice rinks, sports flooring, etc.

Also useable to create work platforms without needing a specific preparation of the surface. This flooring system makes it possible to give access to forklifts, cars, trucks and cranes on your site.

Remopla can also be used as a stable surface to build stages and grandstands, as a basic flooring to dump sand in venues where motocross or equestrian events are being held.

### Properties

Remopla panels are thick and heavy black mats. These mats are seamlessly connectable. When used on a flat subsurface, they create a sealed and even surface. The top sheet of the mats is provided with studs.

### Laying the mats

The mats are laid by hand.

In order to protect fragile surfaces and to protect our tiles from dirt, we supply geotextile as an underlay.

We take charge of the delivery and pick up. We can also handle installation, dismantling and final cleaning upon request.

### Deliveries

We supply Remopla on pallets.

We require a 2,5T forklift on site to load and unload our trucks.

### Environmentally friendly, durable and economic

Remopla is made of 100% recycled rubber and can, when it is discarded after having been used for a very long time, be recycled again.

Until now it was common practice to use wood or wood by-products for the above mentioned uses. By using Remopla we protect our natural resources.

# TECHNICAL SHEETS HEXAFLOOR

---

## UNIVERSAL MATS

---

- These mats form a seamless surface on a flat subsurface
- Weight per mat: 32 kg
- Surface area of a mat: 0.87 m<sup>2</sup>
- Colour: black
- Material: recycled rubber, 100% recyclable, biologically and ecologically sound
- Environmental influences:
  - Heat resistant up to 60° C
  - Cold resistant
  - UV stable
  - Non-inflammable B2
- Maximum load per mat: 33 kg/ cm<sup>2</sup>
- Fairly easy to lay by hand (minimum 2 persons needed)

## DOUBLE-SIDED MATS

---

- This model can be used two-sided and is mainly rented for indoor solutions, e.g. to protect sports floors in sports halls. They are also useable outdoors to protect athletic tracks.
- Weight per mat: 24 kg
- Surface area of a mat: 0.87 m<sup>2</sup>
- Colour: black
- Material: recycled rubber, 100% recyclable, biologically and ecologically sound
- Environmental influences:
  - Heat resistant up to 60° C
  - Cold resistant
  - UV stable
  - Fireproof B2
- Maximum load per mat: 35 kg/ cm<sup>2</sup>
- Easy to lay by hand